

& ORBIS™
SMALL ROLLER SYSTEM





SMALL ROLLER BLIND

For those slightly awkward windows where a 'normal' blind just doesn't cut it, enter Orbis.

OVERVIEW

- Neat and discreet system
- 5 year warranty
- Sizes up to 1.8m wide, 1.8m drop, 3m²
- Includes small headbox

SYSTEM DETAILS

Orbis roller blinds can fit in places that other blind systems can't. Featuring an extremely compact rounded headbox that measures only 55 x 60mm. Manual operation is available via chain or tensioned cord. Low voltage, solar-powered or battery options are available for motorisation.

Exposed aluminium or concealed hembar options can be chosen. Side channels or side guidewires can also be added if required.

USES & APPLICATIONS

Vision panels in doors, small skylights or sloping glazing, windows in vehicles. The Orbis system can fit into the smallest of spaces so neatly you'll hardly know it's there.

Available with our full range of fabrics for shading, privacy or darkening. The extruded aluminium headbox comes in white as standard, but can be powder coated to any RAL colour, further enhancing the system's ability to blend into its background.

The tensioned cord option can be used as a bottom-up or sloping blind, and is securely held in place when fitted to a moving object such as a door or vehicle.



PRODUCTS & PEOPLE



VERY COMPACT SYSTEM

- Cassette only 55mm (H) x 60mm (D)
- Ideal for small windows
- Perfect for doors and vision panels




CASSETTE AS STANDARD

- Neat rounded cassette
- Encloses roller and mechanism
- Makes fitting fast and easy



TENSION CORDED OPTION

- Blind moved by hand and stops in any position
- Fabric kept under tension, can be mounted at any angle
- Available with or without side channels




CONTROL OPTIONS

- Metal Chain
- Tension corded
- Low Voltage or battery motorised



HEMBAR OPTIONS

- Type 1 - 20mm round aluminium
- Type D - D -shape aluminium
- PK-S - Sealed Fabric Pocket
- Custom Options



FABRIC OPTIONS

- Sunscreen fabric for glare control with views out
- Dimout fabrics for light filtering and privacy
- Blackout fabrics for room darkening
- Reflective and film fabrics for specialist applications




MOTORISATION CONTROLS

- Hardwired Switch
- Radio remote control
- Digital and IP communication
- Integration and control systems



GUIDEWIRES

- Optional addition of side guidewires
- Guides the blind hem bar
- Prevents the blind swinging with air movement
- Can be used on shallow slopes



BLIND CONCEALMENT

- Cassette headboxes comes as standard
- Side channel available as option
- Range of recess profiles for built-in blinds
- Can be finished in any RAL colour



UMBRA®YOU

SELECT YOUR SYSTEM


See Systems Overview brochure for more information

ROOFLIGHT SYSTEMS

BLACKOUT SYSTEMS →

SQUARE AREA

18m²




®KUROLOK™
TWIN RL

9m²



®KUROLOK™
RL

4m²



®HELIOS™
RL

24m²



®KUROLOK™

BLACKOUT SYSTEMS

ROLLER SHADES

14m²



®KURO™

LARGE

16m²



®HELIOS™

MEDIUM

6m²



®SIRIOS™

SMALL

3m²



®ORBIS™

UMBRA®

In line with our policy of continuous product development, we reserve the right to alter specifications without notice.